

Safety Data Sheet

according to WHS Regulations

Revision: 30.06.2021

TalentCare Doramectin Pour On Endectocide

1 Identification

Product Name: TalentCare Doramectin Pour On Endectocide

(Contd. of page 1)

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Veterinary endectocide.

Details of Supplier:

Agro-Alliance Australia Pty Ltd
2 Mavron st., Ashwood VIC 3147

Phone Number: 03 86442677

Emergency telephone number: 04 49880797

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



flame

Flammable Liquids 2 H225 Highly flammable liquid and vapour.



Serious Eye Damage/Irritation 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Toxic To Reproduction - Lact. H362 May cause harm to breast-fed children.

Aquatic Acute 3 H402 Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Signal Word Danger

Hazard Statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H362 May cause harm to breast-fed children.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

P201 Obtain special instructions before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe dusts or mists.

P263 Avoid contact during pregnancy/while nursing.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Revision: 30.06.2021

TalentCare Doramectin Pour On Endectocide







(Contd. of page 1)

P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTER/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish: CO2, powder or water spray.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures
Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 67-63-0	Propan-2-ol  Flammable Liquids 2, H225;  Serious Eye Damage/Irritation 2A, H319; STOT SE 3, H336	60 - 85%
CAS: 117704-25-3	Doramectin  Toxic To Reproduction 2, H361-H362;  Aquatic Acute 1, H400; Aquatic Chronic 1, H410;  Acute Toxicity (Oral) 4, H302	0.5%
CAS: 102-71-6	Triethanolamine  Skin Corrosion/Irritation 2, H315; Serious Eye Damage/Irritation 2A, H319; STOT SE 3, H335	<0.1%

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause drowsiness and dizziness, headache, nausea and vomiting.

Skin Contact: May cause skin irritation.

Eye Contact: Causes serious eye irritation, redness, swelling, blurred vision and lachrymation.

Ingestion: May be harmful if swallowed.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

TalentCare Doramectin Pour On Endectocide

(Contd. of page 2)

5 Fire Fighting Measures

Suitable Extinguishing Media:

Water fog, alcohol resistant foam, dry chemical or carbon dioxide. Do not use water jet as it may spread the fire.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include toxic and irritating fumes.

Product is highly flammable. Vapours may travel considerable distances to a source of ignition where they can ignite, flashback, or explode.

Closed containers may explode when exposed to extreme heat. Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots.

Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material.

Collect the spilled material and place into a suitable container for disposal. Never return spills to original containers for re-use. Use only non-sparking tools. Wash spill area thoroughly to remove residues.

7 Handling and Storage

Precautions for Safe Handling:

May cause harm to breast-fed children. Pregnant or breast-feeding women must not handle this substance.

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Take precautionary measures against static discharge. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames, hot surfaces and direct sunlight. Keep away from strong oxidising agents, acids, isocyanates and chlorine.

Store below 30°C.

8 Exposure Controls and Personal Protection

Exposure Standards:

CAS: 67-63-0 Propan-2-ol

WES	STEL: 1230 mg/m ³ , 500 ppm TWA: 983 mg/m ³ , 400 ppm
-----	--

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

TalentCare Doramectin Pour On Endectocide

(Contd. of page 3)

Engineering Controls:

Maintain air concentration below occupational exposure standards, providing adequate ventilation. Use explosion-proof ventilating equipment.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Chemical resistant gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Liquid
Colour:	Clear, light blue
Odour:	No information available
Odour Threshold:	No information available
pH-Value:	No information available
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	84 °C
Flash Point:	14.4 °C
Flammability:	Highly flammable.
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Relative Density at 25 °C:	0.8
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	No information available
Partition Coefficient (n-octanol/water):	4.4 log POW
Viscosity:	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Heat, sparks, open flames, hot surfaces and direct sunlight.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

TalentCare Doramectin Pour On Endectocide

(Contd. of page 5)

Incompatible Materials: Strong oxidising agents, acids, isocyanates and chlorine.

Hazardous Decomposition Products: Toxic and irritating fumes.

11 Toxicological Information

Toxicity:

LD₅₀/LC₅₀ Values Relevant for Classification:

CAS: 67-63-0 Propan-2-ol

Oral	LD ₅₀	5,045 mg/kg (rat)
Dermal	LD ₅₀	12,800 mg/kg (rabbit)
Inhalation	LC ₅₀ /4 h	30 mg/l (rat)

CAS: 117704-25-3 Doramectin

Oral	LD ₅₀	500-2,000 mg/kg (rat)
Dermal	LD ₅₀	>2,000 mg/kg (rat)
Inhalation	LC ₅₀ /4 h	0.54 mg/l (rat)

CAS: 102-71-6 Triethanolamine

Oral	LD ₅₀	8,000 mg/kg (rat)
Dermal	LD ₅₀	20,000 mg/kg (rat)

Acute Health Effects

Inhalation: May cause drowsiness and dizziness, headache, nausea and vomiting.

Skin: May cause skin irritation.

Eye: Causes serious eye irritation, redness, swelling, blurred vision and lachrymation.

Ingestion: May be harmful if swallowed.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Isopropyl alcohol and triethanolamine are classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: May cause harm to breast-fed children.

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause drowsiness and dizziness.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects:

Prolonged or repeated skin contact may cause degreasing and drying leading to dermatitis.

Prolonged inhalation may be harmful.

May cause chronic effects to the liver, kidneys and nervous system.

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for doramectin for a human is 0.002 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 0.1 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

TalentCare Doramectin Pour On Endectocide

(Contd. of page 5)

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2019).

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

CAS: 67-63-0 Propan-2-ol

EC ₅₀ /48 h	100 mg/l (daphnia)
EC ₅₀ /72 h	100 mg/l (scenedesmus subspicatus)
LC ₅₀ /96 h	1,400 mg/l (bluegill)
	9,640 mg/l (fathead minnow)
LC ₅₀ /48 h	8,970 mg/l (golden orfe)

CAS: 117704-25-3 Doramectin

EC ₅₀ /48 h	0.0001 mg/l (daphnia)
LC ₅₀ /96 h	0.011 mg/l (bluegill)
	0.0051 mg/l (rainbow trout)

CAS: 102-71-6 Triethanolamine

EC ₅₀ /48 h	609.98 mg/l (daphnia)
LC ₅₀ /96 h	11,800 mg/l (brachydanio rerio)
	11,800 mg/l (fathead minnow)

Persistence and Degradability: Doramectin is biodegradable.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: Doramectin is tightly binds to soil particles and is not expected to be mobile.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number	
ADG, IMDG, IATA	UN1219
Proper Shipping Name	
ADG, IMDG, IATA	ISOPROPANOL (ISOPROPYL ALCOHOL)
Dangerous Goods Class	
ADG Class:	3 Flammable liquids.
Packing Group:	
ADG, IMDG, IATA	II
EMS Number:	F-E,S-D
Hazchem Code:	•2YE

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

TalentCare Doramectin Pour On Endectocide

(Contd. of page 6)

Limited Quantities: 1L

Packagings & IBCs - Packing Instruction: P001, IBC02

Portable Tanks & Bulk Containers - Instructions: T4

Portable Tanks & Bulk Containers - Special Provisions: TP1

15 Regulatory Information

Australian Inventory of Chemical Substances:

CAS: 67-63-0	Propan-2-ol
CAS: 102-71-6	Triethanolamine

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:
Not Scheduled.

16 Other Information

Abbreviations and acronyms:

ADG: Australian Dangerous Goods
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC₅₀: Lethal concentration, 50 percent
 LD₅₀: Lethal dose, 50 percent
 IARC: International Agency for Research on Cancer
 STEL: Short Term Exposure Limit
 TWA: Time Weighted Average
 NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)
 Flammable Liquids 2: Flammable liquids – Category 2
 Acute Toxicity (Oral) 4: Acute toxicity – Category 4
 Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2
 Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation – Category 2A
 Toxic To Reproduction - Lact.: Reproductive toxicity – effects on or via lactation
 Toxic To Reproduction 2: Reproductive toxicity – Category 2
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1
 Aquatic Acute 3: Hazardous to the aquatic environment, short-term (Acute). Category 3
 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1
 Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3